



Page 6

Page 2

2/-



PATONS 100% TURBO ORLON

knits into a soft, lightweight garment and
stays lovely with frequent washing

It is also Mothproof and Shrinkproof.

Washing Instructions — these are most important!

1. Hand-wash frequently in lukewarm water (not hot), in which a small quantity of mild soap/soap flakes or suitable detergent has first been thoroughly dissolved.
2. Turn garment inside out before washing.
3. Do not twist or wring the fabric.
4. Rinse twice in fresh warm water.
5. Roll in a towel to remove excess moisture.
6. Lay the garment flat to dry, pulling it carefully to shape.
7. If occasional pressing desired, it is essential to use LOW TEMPERATURE iron over damp cloth. PRESS LIGHTLY and DO NOT allow iron to directly contact fabric.

*A Twin-Set with an elegant air —
and a choice of necks and sleeves*

"RAYE"

IN THREE SIZES

ILLUSTRATED OPPOSITE AND ON FRONT COVER

PATONS 100% TURBO ORLON*

MOTHPROOF SHRINKPROOF

*Jumper with Short or Long
Sleeves; Round or "V" Neck*

*Cardigan with High or
Medium Buttoning*

Size A. 32-33 inch bust—
Jumper—
Short Sleeves, 6 balls. Long Sleeves, 8 balls.
Cardigan 9 balls.
Size B. 35-36 inch bust—
Jumper—
Short Sleeves, 7 balls. Long Sleeves, 9 balls.
Cardigan 10 balls.
Size C. 38-39 inch bust—
Jumper—
Short Sleeves, 7 balls. Long Sleeves, 9 balls.
Cardigan 10 balls.
*If desiring to have bands machine knitted, extra
yarn will be required.*

Jumper:

Length from top of shoulder—

Size A, 20½ ins. Size B, 21 ins. Size C, 21 ins.

Length of sleeve seam—

Short, 4 ins. Long, 17 ins. (or length desired).

Cardigan:

Length from top of shoulder—

Size A, 21 ins. Size B, 21½ ins. Size C, 21½ ins.

Length of sleeve seam . . 17 ins. (or length desired).

Patons Beehive Knitting Needles or Queen Bee Knitting Needles, 1 pair each Nos. 11 and 13, measured on a Beehive Needle Gauge.

Patons Crochet Hook No. 12. A Stitch Holder.

Four Press Studs for Jumper with Round Neck.

Fourteen Medium Buttons for High Buttoning Cardigan.

Nine Medium Buttons for Medium Buttoning Cardigan.

ABBREVIATIONS: See page 14.

TENSION: 8 stitches to 1 inch in width, measured over plain smooth fabric. Check tension—see page 7.

Instructions are for smallest size A. Larger sizes B and C are shown thus [B—...] [C—...]. Where one set of figures is given, this applies to all sizes.

THE JUMPER WITH ROUND NECK:

THE FRONT—Using No. 13 Needles, cast on 112 [B—124] [C—136] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row thirty-nine times.

Using No. 11 Needles, proceed as follows:—

1st row.—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows seven times.

Continue in plain smooth fabric, inc. once at each end of needle in next and every following 8th row until there are 132 [B—144] [C—156] sts. on needle.


Work 15 rows without shaping. **

Shape armholes by casting off 8 [B—10] [C—12] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 102 [B—110] [C—118] sts. remain. ***

[Continued on page 4]



TWIN SET — "RAYE"
Instructions opposite



**MAN'S PULLOVER
"MARSHALL"**
Instructions on page 6



RAYE (continued from page 2)

Work 29 [B—35] [C—35] rows without shaping.

Next row.—K.41 [B—K.44] [C—K.47], cast off 20 [B—22] [C—24] sts., K.41 [B—K.44] [C—K.47].

Continue on these 41 [B—44] [C—47] sts., dec. once at neck edge in every alt. row until 34 [B—37] [C—40] sts. remain.

Work 9 [B—11] [C—11] rows without shaping.

Shape shoulder as follows:—

1st row.—Work to last 8 [B—9] [C—10] sts., turn.

2nd and 4th rows.—Work to end of row.

3rd row.—Work to last 16 [B—18] [C—20] sts., turn.

5th row.—Work to last 25 [B—27] [C—30] sts., turn.

6th and 7th rows.—As 2nd row. Cast off.

Join in yarn at neck edge and work on remaining sts. to correspond with other side.

THE BACK—Work as given for Front to ***. (102 [B—110] [C—118] sts.)

Continue without shaping until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 8 [B—9] [C—10] sts., turn.

3rd and 4th rows.—Work to last 16 [B—18] [C—20] sts., turn.

5th and 6th rows.—Work to last 25 [B—27] [C—30] sts., turn.

7th and 8th rows.—Work to last 34 [B—37] [C—40] sts., turn.

9th row.—Work to end of row. Cast off.

THE SHORT SLEEVES—Using No. 13 Needles, cast on 90 [B—96] [C—102] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row eleven times.

Using No. 11 Needles, proceed as follows:—

1st row.—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows three times.

Continue in plain smooth fabric, inc. once at each end of needle in next and every following 4th row until there are 100 [B—106] [C—112] sts. on needle.

Continue without shaping until side edge measures 4 ins. from commencement, ending with a purl row.

** Cast off 4 [B—5] [C—6] sts. at beg. of next 2 rows.

Dec. once at each end of needle in next and every alt. row until 46 [B—46] [C—50] sts. remain, then in every row until 20 [B—20] [C—24] sts. remain.

Cast off. **

Work another Sleeve in same manner.

THE LONG SLEEVES—Using No. 13 Needles, cast on 64 [B—68] [C—72] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row thirty-three times.

Using No. 11 Needles, proceed as follows:—

1st row.—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows three times.

Continue in plain smooth fabric, inc. once at each end of needle in next and every following 6th row

until there are 84 [B—90] [C—96] sts. on needle, then in every 8th row until there are 100 [B—106] [C—112] sts. on needle.

Continue without shaping until side edge measures 17 ins. (or length desired) from commencement, ending with a purl row.

Work as given from ** to ** for Short Sleeves.

Work another Sleeve in same manner.

THE NECKBAND—Using a fine back-stitch seam, sew up right shoulder seam.

With right side of work facing and using No. 13 Needles, knit up 110 [B—118] [C—126] sts. evenly round neck.

1st row.—* K.1, P.1, rep. from * to end of row.

Rep. 1st row eight times. Cast off loosely in rib.

TO MAKE UP—Do NOT press. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side and sleeve seams. Sew in sleeves, placing seams to side seams. Sew up left shoulder seam leaving a 3 inch opening at neck edge. With right side of work facing and using No. 13 Needles, knit up 30 sts. along back of shoulder opening. Work 4 rows in Garter Stitch. Cast off. Using Crochet Hook, work 1 row of d.c. along front of shoulder opening. Sew underlap in position. Sew press studs in position. Special Washing Instructions—page 2.

THE JUMPER with "V" NECK:

THE FRONT—Work as given for Front of Jumper with Round Neck, to **.

Shape armholes and divide for neck as follows:—

Cast off 8 [B—10] [C—12] sts. at beg. of next 2 rows.

Next row.—K.2 tog., K.54 [B—K.58] [C—K.62], K.2 tog., leave remaining sts. on a stitch holder.

Dec. once at armhole edge in every alt. row six times, whilst at same time, dec. once at neck edge in every 4th row three times. (47 [B—51] [C—55] sts.)

Continue dec. at neck edge only in every 4th row until 34 [B—37] [C—40] sts. remain.

Size B only—Work 4 rows without shaping.

Shape shoulder as given for Jumper with Round Neck.

Join in yarn at centre front and work on remaining sts. to correspond with other side.

THE BACK AND SLEEVES—As given for Back and Sleeves of Jumper with Round Neck.



THE NECKBAND—Using a fine back-stitch seam, sew up right shoulder seam.

With right side of work facing and using No. 13 Needles, knit up 59 [B—65] [C—65] sts. along left side of neck, knitting up last st. from centre front, 58 [B—64] [C—64] sts. along right side of neck and 35 [B—37] [C—39] sts. across back of neck. (152 [B—166] [C—168] sts.).

1st row.—* K.1, P.1, rep. from * to end of row.

Work 8 rows in rib, dec. once at each side of centre point of "V" in every row and keeping centre stitch plain on right side of work. Cast off loosely in rib.

TO MAKE UP.—Do NOT press. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side, left shoulder and sleeve seams. Sew in sleeves, placing seams to side seams. Special Washing Instructions—page 2.

THE HIGH BUTTONING CARDIGAN—"RAYE" (as illustrated on page 3 and Front Cover)

THE LEFT FRONT—Using No. 13 Needles, cast on 54 [B—60] [C—66] stitches.

1st row.—* K.1, P.1, rep. from * to last 2 sts., K.2. Rep. 1st row thirty-nine times.

Using No. 11 Needles, proceed as follows:—

1st row.—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows seven times.

Continue in plain smooth fabric, inc. once at beg. of needle in next and every following 8th row until there are 64 [B—70] [C—76] sts. on needle.

Work 15 rows without shaping. **

Shape armhole by casting off 8 [B—10] [C—12] sts. at beg. of next row, then dec. once at beg. of needle in every alt. row until 49 [B—53] [C—57] sts. remain.

Work 36 [B—42] [C—42] rows without shaping.

Shape neck by casting off 6 [B—7] [C—8] sts. at beg. of next row, then dec. once at neck edge in next and every alt. row until 36 [B—39] [C—42] sts. remain.

Work 10 [B—12] [C—12] rows without shaping.

Shape shoulder as follows:—

1st row.—Work to last 9 [B—10] [C—10] sts., turn.

2nd and 4th rows.—Work to end of row.

3rd row.—Work to last 18 [B—20] [C—20] sts., turn.

5th row.—Work to last 27 [B—30] [C—31] sts., turn.

6th and 7th rows.—As 2nd row. Cast off.

THE RIGHT FRONT—Work to correspond with Left Front, working shapings at opposite ends of needle. The first row of rib will be as follows:—K.2, * P.1, K.1, rep. from * to end of row.

THE BACK—Using No. 13 Needles, cast on 114 [B—126] [C—138] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row thirty-nine times.

Using No. 11 Needles, proceed as follows:—

1st row.—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows seven times.

Continue in plain smooth fabric, inc. once at each end of needle in next and every following 8th row until there are 134 [B—146] [C—158] sts. on needle.

Work 15 rows without shaping.

Shape armholes by casting off 8 [B—10] [C—12] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 104 [B—112] [C—120] sts. remain.

Continue without shaping until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 9 [B—10] [C—10] sts., turn.

3rd and 4th rows.—Work to last 18 [B—20] [C—20] sts., turn.

5th and 6th rows.—Work to last 27 [B—30] [C—31] sts., turn.

7th and 8th rows.—Work to last 36 [B—39] [C—42] sts., turn.

9th row.—Work to end of row. Cast off.

THE SLEEVES—Using No. 13 Needles, cast on 66 [B—70] [C—74] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row thirty-three times.

Using No. 11 Needles, proceed as follows:—

1st row.—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows twice.

Continue in plain smooth fabric, inc. once at each end of needle in next and every following 6th row until there are 96 [B—102] [C—108] sts. on needle, then at each end of every 8th row until there are 104 [B—110] [C—116] sts. on needle.

Continue without shaping until side edge measures 17 ins. (or length desired) from commencement.

Cast off 4 [B—5] [C—6] sts. at beg. of next 2 rows. Dec. once at each end of needle in next and every alt. row until 46 [B—46] [C—50] sts. remain, then in every row until 20 [B—20] [C—24] sts. remain. Cast off.

Work another Sleeve in same manner.

THE LEFT FRONT BAND—Using No. 13 Needles, cast on 12 stitches.

1st row.—* K.1, P.1, rep. from * to last 2 sts., K.2. Rep. 1st row 199 times.

Break off yarn and leave sts. on stitch holder.

THE RIGHT FRONT BAND—Using No. 13 Needles, cast on 12 stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row three times.

5th row.—Rib 5, cast off 2 sts., rib 5.

6th row.—Rib 5, cast on 2 sts., rib 5.

Continue in rib working a buttonhole in every 13th and 14th row twice, then in every following 15th and 16th row until 13 buttonholes have been completed from commencement.

Work 9 rows. Do not break off yarn.

THE NECKBAND—Using a fine back-stitch seam, sew up shoulder seams, and sew front bands in position.

With right side of work facing and using needle holding right front band sts., knit up 101 [B—109] [C—117] sts. evenly round neck, rib 12 sts. from left front band. (125 [B—133] [C—141] sts.).

1st row.—* K.1, P.1, rep. from * to last st., K.1.

Work 10 rows in rib, making a buttonhole as before in 15th and 16th rows from previous buttonhole.

Cast off loosely in rib.

TO MAKE UP.—Do NOT press. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side and sleeve seams. Sew in sleeves, placing seams to side seams. Sew on buttons to correspond with buttonholes. Special Washing Instructions—page 2.



THE MEDIUM BUTTONING CARDIGAN: "RAYE"

THE LEFT FRONT
—Work as given for Left Front of High Buttoning Cardigan to **.

Shape armhole and front slope as follows:—

1st row.—Cast off 8 [B—10] [C—12] sts., work to end of row.

Dec. once at armhole edge in every alt. row seven times, whilst at same time dec. once every following 6th row twice [B—twice] [C—53] sts.)

at front edge in 2nd row and [B—6th] [C—4th] row [C—three times]. (46 [B—50]

Continue dec. at front edge only in every 6th row until 36 [B—39] [C—42] sts. remain.

Sizes B and C only—Work 2 rows without shaping. Shape shoulder as given for High Buttoning Cardigan.

THE RIGHT FRONT—Work to correspond with Left Front, working shapings at opposite ends of needle. The first row of rib will be as follows: K.2, * P.1, K.1, rep. from * to end of row.

THE BACK AND SLEEVES—As given for Back and Sleeves of High Buttoning Cardigan.

THE FRONT BAND—Work as given for Right Front Band of High Buttoning Cardigan until 9 buttonholes have been worked.

Continue in rib without further buttonholes until band is length required to fit along fronts and across back of neck (slightly stretched). Cast off in rib.

TO MAKE UP—Do NOT press. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side, shoulder and sleeve seams. Sew in sleeves, placing seams to side seams. Using a fine back-stitch seam, sew front band in position. Sew on buttons to correspond with buttonholes. Special Washing Instructions—page 2.

*Any man will appreciate
this raglan pullover ...*

"MARSHALL"

IN THREE SIZES — WITH "V" OR ROUND NECK
ILLUSTRATED ON FRONT COVER AND PAGE 2

PATONS 100% TURBO ORLON*
MOTHPROOF SHRINKPROOF

Size A. 35-36 inch chest 11 balls.
Size B. 38-39 inch chest 12 balls.
Size C. 41-42 inch chest 12 balls.

If desiring to have bands machine knitted, extra yarn will be required.

Length from top of shoulder—

Size A, 25½ ins. Size B, 26 ins. Size C, 26½ ins.
Length of sleeve seam, 20 ins. (or length desired).

Patons Beehive Knitting Needles or Queen Bee Knitting Needles, 1 pair each Nos. 11 and 13, 1 set of four No. 13, measured on a Beehive Needle Gauge.
Two Stitch Holders.

ABBREVIATIONS: See page 14.

TENSION: 8 stitches to 1 inch in width, measured over plain smooth fabric. Check tension—see page 7.

Instructions are for smallest size A. Larger sizes B and C are shown thus [B—...] [C—...]. Where one set of figures is given, this applies to all sizes.

THE PULLOVER WITH V NECK:

THE FRONT—Using No. 13 Needles, cast on 148 [B—160] [C—172] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row forty-five times.

Using No. 11 Needles, proceed as follows:—

1st row.—Knit. **2nd row.**—Purl.

Continue in plain smooth fabric until work measures 16 [B—16½] [C—16½] ins. from commencement, finishing with a purl row. **

Commence raglan shaping by casting off 4 [B—6] [C—8] sts. at beg. of next 2 rows, then dec. once at each end of needle in next row, and following 4th row, then Size C only in following alt. row.

Work 3 [B—3] [C—1] row/s without shaping. (136 [B—144] [C—150] sts.)

Next row.—K.2 tog., K.64 [B—K.68] [C—K.71], K.2 tog. Leave remaining sts. on a stitch-holder.

Continue in plain smooth fabric on these 66 [B—70] [C—73] sts., dec. once at armhole edge in every alt. row forty-three [B—forty-five] [C—forty-seven] times, whilst at same time dec. once at neck edge in every 4th row twenty [B—twenty-two] [C—twenty-three] times. (3 sts.) Cast off.

Join in yarn at centre front and work on remaining sts. to correspond with other side.

THE BACK—Work as given for Front to **.

Commence raglan shaping by casting off 4 [B—6] [C—8] sts. at beg. of next 2 rows.

Dec. once at each end of needle in next and every alt. row until 46 [B—52] [C—58] sts. remain, then in every row until 42 [B—44] [C—46] sts. remain. Cast off.

THE SLEEVES—Using No. 13 Needles, cast on 68 [B—72] [C—76] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row thirty-four times.

36th row.—K.1 [B—rib 3] [C—rib 5], * inc. once in next st., rib 12, rep. from * to last 2 [B—4] [C—6] sts., inc. once in next st., K.1 [B—rib 3] [C—rib 5]. (74 [B—78] [C—82] sts.)

Using No. 11 Needles, proceed as follows:—

1st row.—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows twice.

Continue in plain smooth fabric, inc. once at each end of needle in next and every following 8th row until there are 110 [B—116] [C—122] sts. on needle.

Continue without shaping until side edge measures 20 ins. (or length desired) from commencement, finishing with a purl row.

Commence raglan sleeve shaping by casting off 4 [B—6] [C—8] sts. at beg. of next 2 rows.

Dec. once at each end of needle in next row and every following 4th row twice [B—three times] [C—four times], (96 sts.), then in every alt. row until 10 sts. remain. Cast off.

Work another Sleeve in same manner.

THE NECKBAND—Using a fine back-stitch seam, sew sleeves in position, noting that tops of sleeves form part of neckline.

With right side of work facing, using set of four No. 13 Needles and commencing at top of left sleeve, knit up 8 sts. from top of sleeve, 79 [B—83] [C—87] along left side of neck (knitting up last st. from centre front), 78 [B—82] [C—86] along right side of neck, 8 from top of right sleeve and 41 [B—43] [C—45] across back of neck. (214 [B—224] [C—234] sts.)

1st round.—* K.1, P.1, rep. from * to end of round. Work 11 rounds in rib, dec. once at each side of centre point of "V" in every round, keeping centre st. plain on right side of work.

Work 1 round without shaping.

Work 11 rounds in rib, inc. once at each side of centre point of "V" in every round.

Cast off loosely in rib.

THE PULLOVER WITH ROUND NECK:

THE FRONT—Work as given for Front of Pullover with "V" Neck to **.

Commence raglan shaping by casting off 4 [B—6] [C—8] sts. at beg. of next 2 rows.

Dec. once at each end of needle in next row, and every following 4th row twice [B—twice] [C—once], then in every alt. row until 76 [B—84] [C—90] sts. remain.

Work 1 row without shaping.

Next row.—K.2 tog., K.25 [B—K.27] [C—K.29], turn.

Continue in plain smooth fabric on these 26 [B—28] [C—30] sts., dec. once at each end of needle in every alt. row until 6 [B—8] [C—10] sts. remain.

Dec. once at armhole edge only in every alt. row until 3 sts. remain. Cast off.


Slip next 22 [B—26] [C—28] sts. on to a stitch holder, join in yarn at neck edge and work on remaining sts. to correspond with other side.

THE BACK—As given for Back of Pullover with "V" Neck, leaving 42 [B—44] [C—46] sts. across back of neck on a stitch holder instead of casting off.

THE SLEEVES—As given for Sleeves of Pullover with "V" Neck.

THE NECKBAND—Using a fine back-stitch seam, sew sleeves in position noting that tops of sleeves

[Continued on page 15]



Special Note—

Avoid
disappointment—
buy the yarn
recommended.
Buy wisely—
buy enough of the
one dye-lot—
the same dye-lot
cannot be
repeated.

Tension is most important!

HOW TO CHECK YOUR TENSION—Before you commence knitting, check your tension carefully—on this depends the success of the finished article. Take the yarn and needles specified in the instructions, cast on 20 stitches, work 20 rows in plain smooth fabric. Lightly press work. Check the tension by placing an inch tape across the stitches, count the exact number of stitches to one inch and compare with the tension given in the instructions. All tensions are measured over plain smooth fabric, lightly pressed. If your tension is too loose, try a size finer needle. If your tension is too tight, try a size coarser needle. If there is more than one size of needle recommended in the recipe and you alter the needles to obtain the correct tension in plain smooth fabric, corresponding alterations must be made to the needles throughout the instructions.

NO WARDROBE IS COMPLETE WITHOUT A TWIN SET

*Your daughter will love this twin-set —
the raglan sleeves are ideal for comfort and fit*

"RILLA"

GIRL'S TWIN SET — IN THREE SIZES

JUMPER WITH LONG OR SHORT SLEEVES
CARDIGAN WITH HIGH OR MEDIUM BUTTONING

PATONS 100% TURBO ORLON*

MOTHPROOF SHRINKPROOF

Size A. 23-24 inch underarm.

THE JUMPER:

Short Sleeves, 4 balls. Long Sleeves, 4 balls.

THE CARDIGAN 5 balls.

Size B. 26-27 inch underarm.

THE JUMPER:

Short Sleeves, 4 balls. Long Sleeves, 6 balls.

THE CARDIGAN 6 balls.

Size C. 29-30 inch underarm.

THE JUMPER:

Short Sleeves, 6 balls. Long Sleeves, 6 balls.

THE CARDIGAN 8 balls.

If desiring to have bands machine knitted, extra yarn will be required.

Length from top of shoulder—

THE JUMPER:

Size A, 14½ ins. Size B, 16½ ins. Size C, 18½ ins.

THE CARDIGAN:

Size A, 15 ins. Size B, 17 ins. Size C, 19 ins.

Length of sleeve seam—

THE JUMPER:

Long sleeves—

Size A 12 ins. Size B 14½ ins.

Size C 16½ ins. (or length desired)

Short sleeves—

Size A, 3 ins. Size B, 3½ ins. Size C, 4 ins.

THE CARDIGAN:

Size A 12 ins. Size B 14½ ins.

Size C 16½ ins. (or length desired).

Patons Beehive Knitting Needles or Queen Bee Knitting Needles, 1 pair each Nos. 11 and 13, measured on a Beehive Needle Gauge.

A Stitch-holder.

Patons Crochet Hook No. 13.

Four Small Buttons for Jumper.

Nine [B—Ten] [C—Ten] Medium Buttons for High Buttoning Cardigan.

Six [B—Six] [C—Seven] Medium Buttons for Medium Buttoning Cardigan.

ABBREVIATIONS: See page 14.

TENSION: 8 stitches to 1 inch in width, measured over plain smooth fabric. Check tension—see page 7.

Instructions are for smallest size A. Larger sizes B and C are shown thus [B—...] [C—...]. Where one set of figures is given, this applies to all sizes.

THE JUMPER:

THE FRONT—Using No. 13 Needles, cast on 88 [B—100] [C—112] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.

Rep. 1st row twenty-nine [B—thirty-one] [C—thirty-three] times.

[Continued on page 11]



R A CARDIGAN

*Classic Cardigan
with cable panels
— it is designed
in four sizes*

"ELISSA"

ILLUSTRATED AT RIGHT
AND ON BACK COVER

PATONS 100% TURBO ORLON*
MOTHPROOF SHRINKPROOF

Size A—

32-33 inch bust, 10 balls.

Size B—

35-36 inch bust, 10 balls.

Size C—

38-39 inch bust, 11 balls.

Size D—

41-42 inch bust, 12 balls.

*If desiring to have bands
machine knitted, extra
yarn will be required.*



"RILLA"

"ELISSA"

Length from top of shoulder—

Sizes A and B 21½ ins.

Sizes C and D 21½ ins.

Length of sleeve seam .. 17 ins. (or length desired)

Patons Beehive Knitting Needles or Queen Bee Knitting Needles, 1 pair each Nos. 11 and 13, measured on a Beehive Needle Gauge.

A Cable Needle. A Stitch-holder.

Fourteen Medium Buttons.

ABBREVIATIONS: See page 14.

TENSION: 8 stitches to 1 inch in width, measured over plain smooth fabric. Check tension—see page 7.

Instructions are for smallest size A. Larger sizes B, C and D are shown thus [B—...] [C—...] [D—...]. Where one set of figures is given, this applies to all sizes.

THE LEFT FRONT—Using No. 13 Needles, cast on 60 [B—66] [C—72] [D—78] stitches.

1st row.—* K.1, P.1, rep. from * to last 2 sts., K.2. Rep. 1st row thirty-nine times.

Using No. 11 Needles, proceed as follows:—

1st row.—K.21 [B—K.25] [C—K.29] [D—K.33], P.1, K.1 t.b.l., P.2, K.8, P.1, K.8, P.2, K.1 t.b.l., P.1, K.14 [B—K.16] [C—K.18] [D—K.20].

2nd row.—P.14 [B—P.16] [C—P.18] [D—P.20], K.1, K.1 t.b.l., K.2, P.8, K.1, P.8, K.2, K.1 t.b.l., K.1, P.21 [B—P.25] [C—P.29] [D—P.33].

Rep. 1st and 2nd rows once.

5th row.—K.21 [B—K.25] [C—K.29] [D—K.33], P.1, K.1 t.b.l., P.2, slip next 4 sts. on to cable needle and leave at back of work, K.4, knit 4 sts. from cable needle, P.1, slip next 4 sts. on to cable needle and leave at front of work, K.4, knit 4 sts. from cable needle, P.2, K.1 t.b.l., P.1, K.14 [B—K.16] [C—K.18] [D—K.20].

[Continued on next page]

ELISSA (continued from page 9)

6th row.—As 2nd row.

Rep. 1st and 2nd rows once.

These 8 rows form the patt.

Rep. these 8 rows once.

Keeping continuity of patt., inc. once at beg. of needle in next and every following 8th row until there are 70 [B—76] [C—82] [D—88] sts. on needle.

Work 15 [B—15] [C—17] [D—17] rows without shaping.

Shape armhole by casting off 9 [B—11] [C—13] [D—15] sts. at beg. of next row, then dec. once at beg. of needle in every alt. row until 54 [B—58] [C—62] [D—66] sts. remain.

Work 38 [B—38] [C—42] [D—42] rows without shaping.

Shape neck by casting off 6 [B—8] [C—10] [D—12] sts. at beg. of next row, then dec. once at neck edge in next and every alt. row until 41 [B—43] [C—45] [D—47] sts. remain.

Work 12 [B—12] [C—14] [D—14] rows without shaping

Shape shoulder as follows:—

1st row.—Work to last 12 [B—13] [C—14] [D—14] sts., turn.

2nd row.—Work to end of row.

3rd row.—Work to last 27 [B—29] [C—31] [D—33] sts., turn.

4th and 5th rows.—As 2nd row. Cast off.

Note—Because of cable panel in Fronts, there are 4 more sts. on Front shoulders than Back shoulders.

THE RIGHT FRONT—Using No. 13 Needles, cast on 60 [B—66] [C—72] [D—78] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.

Rep. 1st row thirty-nine times.

Using No. 11 Needles, work to correspond with Left Front, working shapings and patt. panel at opposite ends of needle.

The first 2 rows of patt. panel will read as follows:—

1st row.—K.14 [B—K.16] [C—K.18] [D—K.20], P.1, K.1 t.b.l., P.2, K.8, P.1, K.8, P.2, K.1 t.b.l., P.1, K.21 [B—K.25] [C—K.29] [D—K.33].

2nd row.—P.21 [B—P.25] [C—P.29] [D—P.33], K.1, K.1 t.b.l., K.2, P.8, K.1, P.8, K.2, K.1 t.b.l., K.1, P.14 [B—P.16] [C—P.18] [D—P.20].

THE BACK—Using No. 13 Needles, cast on 116 [B—128] [C—140] [D—152] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.

Rep. 1st row thirty-nine times.

Using No. 11 Needles, proceed as follows:—

1st row.—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows seven times.

Continue in plain smooth fabric, inc. once at each end of needle in next and every following 8th row until there are 136 [B—148] [C—160] [D—172] sts. on needle.

Work 15 [B—15] [C—17] [D—17] rows without shaping.

Shape armholes by casting off 9 [B—11] [C—13] [D—15] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 104 [B—112] [C—120] [D—128] sts. remain.

Continue without shaping until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 12 [B—13] [C—14] [D—14] sts., turn.

3rd and 4th rows.—Work to last 24 [B—26] [C—28] [D—28] sts., turn.

5th and 6th rows.—Work to last 37 [B—39] [C—41] [D—43] sts., turn.

7th row.—Work to end of row. Cast off.

THE SLEEVES—Using No. 13 Needles, cast on 64 [B—68] [C—72] [D—76] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.

Rep. 1st row thirty-three times.

Using No. 11 Needles, proceed as follows:—

1st row.—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows twice.

Continue in plain smooth fabric, inc. once at each end of needle in next and every following 6th row until there are 106 [B—112] [C—118] [D—124] sts. on needle.

Continue without shaping until side edge measures 17 ins. (or length desired) from commencement, finishing with a purl row.

Cast off 4 [B—6] [C—8] [D—10] sts. at beg. of next 2 rows.

Dec. once at each end of needle in next and every alt. row until 42 [B—46] [C—38] [D—42] sts.

remain, then at each end of every row until 20 sts. remain. Cast off.

Work another Sleeve in same manner.

THE LEFT FRONT BAND—Using No. 13 Needles, cast on 13 stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—* K.1, P.1, rep. from * to last st., K.1.

Rep. 1st and 2nd rows 100 times.

Break off yarn and leave sts. on stitch-holder.

THE RIGHT FRONT BAND—Using No. 13 Needles, cast on 13 stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—* K.1, P.1, rep. from * to last st., K.1.

Rep. 1st and 2nd rows once.

5th row.—Rib 5, cast off 2 sts., rib 6.

6th row.—Rib 6, cast on 2 sts., rib 5.

Continue in rib working a buttonhole in every 13th and 14th rows twice, then in every following 15th and 16th rows until 13 buttonholes have been completed from commencement.

Work 9 rows. Do not break off yarn.

THE NECKBAND—Using a fine back-stitch seam, sew up shoulder seams and sew front bands in position.

With right side of work facing and using needle holding right front band sts., knit up 101 [B—109] [C—117] [D—125] sts. evenly round neck, rib 13 sts. from left front band. (127 [B—135] [C—143] [D—151] sts.).

1st row.—* K.1, P.1, rep. from * to last st., K.1.

Work 10 rows in rib, making a buttonhole as before, in 15th and 16th rows from previous buttonhole.

Cast off in rib.

TO MAKE UP—Do NOT press. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side and sleeve seams. Sew in sleeves, placing seams to side seams. Sew on buttons to correspond with buttonholes. Special Washing Instructions—page 2.

RILLA (continued from page 8)

Using No. 11 Needles, proceed as follows:—

1st row.—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows three times.

Continue in plain smooth fabric, inc. once at each end of needle in next and every following 10th [B—12th] [C—12th] row until there are 98 [B—110] [C—122] sts. on needle.

Continue in plain smooth fabric without shaping, until work measures 9 [B—10½] [C—11½] ins. from commencement, finishing with a purl row.

Shape for raglan armholes as follows:—

1st and 2nd rows.—Cast off 3 [B—4] [C—5] sts. work to end of row.

3rd row.—K.1, slip 1, K.1, p.s.s.o., knit to last 3 sts. K.2 tog., K.1.

4th row.—K.1, P.2 tog., purl to last 3 sts., P.2 tog. t.b.l. K.1.

Rep. 3rd and 4th rows twice.

9th row.—As 3rd row.

10th row.—K.1, purl to last st., K.1. **

Rep. 9th and 10th rows sixteen [B—nineteen] [C—twenty-one] times. (46 [B—50] [C—56] sts.).

Shape for neck as follows:—

1st row.—K.1, slip 1, K.1, p.s.s.o., K.10 [B—K.11] [C—K.13], cast off 20 [B—22] [C—24] sts., knit to last 3 sts., K.2 tog., K.1.

2nd row.—K.1, purl to end of row.

3rd row.—K.2 tog., knit to last 3 sts., K.2 tog., K.1.

Rep. 2nd and 3rd rows three [B—three] [C—four] times. (4 [B—5] [C—5] sts.)

Continue dec. once at armhole edge only as before in every alt. row until one st. remains. Fasten off.

Join in yarn at neck edge and work on remaining sts. to correspond with other side.

THE BACK—Work as given for Front to **.

Rep. 9th and 10th rows four [B—eight] [C—twelve] times. (70 [B—72] [C—74] sts.)

Next row.—K.1, slip 1, K.1, p.s.s.o., K.32 [B—K.33] [C—K.34], turn.

Continue on these 34 [B—35] [C—36] sts., dec. once at armhole edge (inside first st. as before) in every alt. row until 15 [B—16] [C—18] sts. remain.

Next row.—Purl to last 2 sts., K.2 tog. Cast off.

Join in yarn at centre back, cast on 4 sts. and working these extra 4 sts. in Garter Stitch for underlap, work on remaining sts. to correspond with other side.

THE LONG SLEEVES—Using No. 13 Needles, cast on 50 [B—54] [C—58] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.

PATONS KNITTING BOOK No. 534

Rep. 1st row eighteen [B—twenty] [C—twenty-two] times.

Next row.—Rib 4 [B—rib 6] [C—rib 8], * inc. once in next st., rib 5, rep. from * to last 4 [B—6] [C—8] sts., inc. once in next st., rib to end of row. (58 [B—62] [C—66] sts.).

Using No. 11 Needles, proceed as follows:—

1st row.—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows three times:

Continue in plain smooth fabric, inc. once at each end of needle in next and every following 8th [B—8th] [C—10th] row until there are 80 [B—86] [C—92] sts. on needle.

Continue without shaping until side edge measures 12 [B—14½] [C—16½] ins. (or length desired) from commencement, finishing with a purl row.

Proceed as follows:—

**** 1st and 2nd rows.**—Cast off 3 [B—4] [C—5] sts., work to end of row.

3rd row.—K.1, slip 1, K.1, p.s.s.o., knit to last 3 sts., K.2 tog., K.1.

4th row.—K.1, P.2 tog., purl to last 3 sts., P.2 tog. t.b.l., K.1.

Sizes A and B only—Rep. 3rd and 4th rows four times [B—once].

All Sizes—

Next row.—K.1, slip 1, K.1, p.s.s.o., knit to last 3 sts., K.2 tog., K.1.

Next row.—K.1, purl to last st., K.1.

Rep. these 2 rows twenty-two [B—twenty-nine] [C—thirty-three] times. (8 [B—10] [C—10] sts.).

Cast off. **

Work another Sleeve in same manner.

THE SHORT SLEEVES—Using No. 13 Needles, cast on 62 [B—68] [C—74] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.

Rep. 1st row nine times.

Using No. 11 Needles, proceed as follows:—

1st row.—Knit. **2nd row.**—Purl.

Continue in plain smooth fabric, inc. once at each end of needle in next and every following 3rd row until there are 80 [B—86] [C—92] sts. on needle.

Work 3 rows without shaping.

Work as given from ** to ** for Long Sleeves.

Work another Sleeve in same manner.

THE NECKBAND—Using a flat seam, sew sleeves to front and back, leaving tops of sleeves to form part of neckline.

With right side of work facing and using No. 13 Needles, knit up 86 [B—92] [C—98] sts. evenly round neck.

1st row.—K.2, * P.1, K.1, rep. from * to last 4 sts., K.4.

2nd row.—K.4, * P.1, K.1, rep. from * to end of row.

Rep. 1st and 2nd rows three times, then 1st row once. Cast off loosely in rib.

TO MAKE UP—Do NOT press. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side and sleeve seams. Using Crochet Hook, work 2 rows of d.c. along right side of back opening, working 4 buttonloops in 2nd row. Sew underlap in position. Sew on buttons to correspond with buttonloops. Special Washing Instructions—page 2.

THE HIGH BUTTONING CARDIGAN:

THE LEFT FRONT—Using No. 13 Needles, cast on 46 [B—52] [C—58] stitches.

1st row.—* K.1, P.1, rep. from * to last 2 sts. K.2.

Rep. 1st row thirty-one [B—thirty-three] [C—thirty-five] times.

Using No. 11 Needles, proceed as follows:—

1st row.—Knit. **2nd row.**—Purl.

Rep. 1st and 2nd rows three times.

Continue in plain smooth fabric, inc. once at beg. of needle in next and every following 10th [B—12th] [C—12th] row until there are 51 [B—57] [C—63] sts. on needle.

Continue without shaping until work measures 9 [B—10½] [C—11½] ins. from commencement, finishing with a purl row. **

Shape for raglan armhole as follows:—

1st row.—Cast off 5 [B—6] [C—7] sts., knit to end of row.

2nd row.—Purl to last st., K.1.

3rd row.—K.1, slip 1, K.1, p.s.s.o., knit to end of row.

4th row.—Purl to last 3 sts., P.2 tog. t.b.l., K.1.

Rep. 3rd and 4th rows twice [B—twice] [C—three times]. (40 [B—45] [C—48] sts.).

Proceed as follows:—

1st row.—K.1, slip 1, K.1, p.s.s.o., knit to end of row.

2nd row.—Purl to last st., K.1.

3rd row.—K.1, slip 1, K.1, p.s.s.o., knit to end of row.

4th row.—Purl to last 3 sts., P.2 tog. t.b.l., K.1.

Rep. 3rd and 4th rows once.

7th row.—K.1, slip 1, K.1, p.s.s.o., knit to last 2 sts., K.2 tog.

8th row.—As 4th row.

[Size C only—Rep. 3rd and 4th rows once, 3rd row once, 2nd row once, then 7th and 8th rows once.]

All Sizes—

Proceed as follows:—

*** **1st row.**—K.1, slip 1, K.1, p.s.s.o., knit to end of row.

2nd row.—Purl to last st., K.1.

Rep. 1st and 2nd rows once.

5th row.—K.1, slip 1, K.1, p.s.s.o., knit to last 2 sts., K.2 tog.

6th row.—As 2nd row. ***

Rep. from *** to *** eight [B—nine] [C—nine] times. (2 [B—3] [C—3] sts.).

Size A only—K.2 tog. Fasten off.

[Sizes B and C only—Next row.—K.1, slip 1, K.1, p.s.s.o.]

Next row.—K.2 tog. Fasten off.]

THE RIGHT FRONT—Work as given for Right Front of High Buttoning Cardigan to **.

Shape raglan armhole as follows:—

1st row.—Cast off 5 [B—6] [C—7] sts., purl to last 2 sts., P.2 tog.

2nd row.—Knit to last 3 sts., K.2 tog., K.1.

3rd row.—K.1, P.2 tog., purl to end of row.

Rep. 2nd and 3rd rows once, then 2nd row once.

7th row.—K.1, P.2 tog., purl to last 2 sts., P.2 tog.

[C only: Rep. 2nd and 3rd rows once, then 2nd row once.]

Next row.—K.1, purl to end of row.

Rep. 2nd row once, then 7th row once.]

All Sizes—

Proceed as follows:—

1st row.—Knit to last 3 sts., K.2 tog., K.1.

2nd row.—K.1, purl to end of row.

Rep. 1st and 2nd rows once, then 1st row once.

6th row.—K.1, purl to last 2 sts., P.2 tog.

Work to correspond with other side, working shapings at opposite ends of needle.

THE BACK AND SLEEVES—Work as given for Back and Sleeves of High Buttoning Cardigan.

THE FRONT BAND—Work as given for Right Front Band of High Buttoning Cardigan to **.

Continue in rib, making a buttonhole as before in every following 19th and 20th rows until 6 [B—6] [C—7] buttonholes have been worked from commencement. Continue in rib without further buttonholes until band is length required to fit along fronts and across back of neck. Cast off in rib.

TO MAKE UP—Do NOT press. Using a flat seam for sew sleeves to fronts and back, leaving tops of sleeves to form part of neckline. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side and sleeve seams. Using a fine back-stitch seam, sew front band in position. Sew on buttons to correspond with buttonholes. Special Washing Instructions—page 2.

"MARSHALL" (continued from page 7)

form part of neckline. With right side of work facing and using set of four No. 13 Needles, knit up 142 [B—146] [C—154] sts. evenly round neck (including sts. from stitch-holders).

1st round.—* K.1, P.1, rep. from * to end of round.

Rep. 1st round twenty-three times. Cast off loosely in rib.

TO MAKE UP—Do NOT press. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side and sleeve seams. Fold neckband in halves and sew in position on wrong side. Special Washing Instructions—page 2.

Published with All Rights Reserved by

PATONS & BALDWIN'S

(AUSTRALIA) LIMITED

REG. OFFICE: 84-94 FLINDERS LANE, MELBOURNE, C.1 • N.S.W. BRANCH: CHURCH AVENUE, MASCOT

Wholly Set Up and Printed in Australia



Trade Marks Registered in Australia

Featuring **PATONS** 100% TURBO ORLON* No. 534



Page 8



Page 9